

# Product Authorisation Certificate

(for use in City West Water's Infrastructure Systems)

Issued to

## ACO Polycrete Pty Ltd

Authorisation:	SEW/350/10056	Australian Standard:	AS 3996:2006
		Other Standards:	-
		Licence No:	SMK02646
		WSAA Product Specification:	WSA PS 290
		Product Authorisation Expiry Date:	10 November 2014

### Description of Product

#### Rhinocast DN 600 Circular Access Cover and Frame

- M60B Class B, 604 or 615 mm dia Ductile Iron (DI) access cover and Cast Iron (CI) frame, solid top
- 600SD Class D, 604 or 615 mm dia DI access cover and CI frame, solid top
- 600RB Class B, 615 mm dia clear opening recessed DI access cover and CI frame, Concrete Infill
- 600RD Class D, 615 mm dia clear opening recessed DI access cover and CI frame, Concrete Infill

#### Conditions:

1. Where a range of items or sizes are involved, this Authorisation applies only to those items or sizes listed in the CWW's Products Catalogue for Non Pressure Pipeline Systems.
2. This Authorisation does not refer to the effectiveness of the product and no claim shall be made through advertising, promotion or in any other way that the above products have been authorised or tested by CWW in other than the terms of this authorisation.
3. The items described above are authorised for use in CWW Infrastructure systems, in accordance with the design and installation practices as detailed or referenced in the MRWA Edition of the Water Services Association of Australia Sewerage Code of Australia WSA 02:2002, CWW's supplement to the code and other installation recommendations of the Manufacturer.
4. This approval is valid for 5 years from the issue date of this certificate. Renewals of approval should be sought three months prior to approval expiry.
5. ACO Polycrete Pty Ltd shall be responsible for assuring the quality of approved products that are supplied by ACO Polycrete Pty Ltd to the market. Where the approved products or parts thereof are manufactured or assembled by a third party, ACO Polycrete Pty Ltd shall employ systematic procedures to verify product conformance.
6. The product shall be manufactured under a third party certified Quality Assurance System. All products shall be identified with the manufacturers name or trade mark.
7. The products shall demonstrate satisfactory performance when installed in CWW Infrastructure system.
8. CWW shall be notified in writing if:
  - The third party certification is withdrawn, suspended or changed;
  - Any change of the certification agency occurs;
  - There are any changes to product design, materials, model numbers etc; or
  - The products are to be withdrawn from sale.
9. The products may be subjected to random quality control checks for which a charge may apply. Compliance with new Standards as they are replaced will need to be demonstrated.
10. CWW reserves the right to request additional information and / or evidence of product suitability add or vary to the conditions set out above, or if necessary, modify or withdraw the authorisation at any time.

Signed: 

Manager Standards

Date: 11 November 2009