



<b>ACO CABLEMATE®</b>	<b>POLYCRETE® PIT INSTALLATION DRAWING</b>	
DRWG#    XCPRCE-DP	<b>Rhinocast Cover/Frame with Precast Concrete Collar</b>	
<b>Pavers: For 8000kg Nominal Wheel Load</b>		



**NOTES:**

1. Specific site conditions may require an increase in these dimensions or reinforcement. It is the customer's responsibility to ensure the installation drawing is detailed for the application and pit structure is protected from undue stress. *Engineering advice may be required.*
2. A minimum concrete strength of 25MPa is recommended for the collar. The concrete should be vibrated to eliminate air pockets and finished flush with the top of the pit.
3. The finished level of the precast reinforced concrete collar of the Rhinocast cover and frame must be flush with the concrete slab.
4. Refer to ACO's latest installation instructions for complete details.

<b>ACO CABLEMATE®</b>	<b>POLYCRETE® PIT SPECIFICATION CLAUSE</b>	ACO Pty Ltd Ph: 1300 765 226 <a href="http://www.acoaus.com.au">www.acoaus.com.au</a>
DRWG#    XCPRCE-DP	<b>Rhinocast Cover/Frame with Precast Concrete Collar</b>	

The cable enclosure(s) (for a nominal wheel load of 8000kg) with a *clear opening(s)* of ..... shall be **Polycrete® Pit(s) Type (s)** ..... and *part no.(s)* ..... with **Rhinocast® Recessed / Solid Top cover(s)** and frames encased in a precast reinforced concrete collar and *part no.(s)* .....

All materials and components within the scope of the system shall be obtained from ACO and the work shall be carried out as specified in accordance with the manufacturer installation recommendations.